Inter System

ADAPTED FOR TETRA EVERO ASEPTIC

ComPact HC High-capacity palletizer




Space-efficient palletizing for the food industry

The ComPact palletizer has been further developed in co-operation with Tetra Pak. Our new high-capacity palletizeer is designed and adapted to handle packages when there are high demands. The key target benefits have been achieved: smooth handling of packages, simplicity and the flexibility to combine with the iLine configuration.

Our development work has been based on 20 years' experience of successful palletizing operations with Tetra Pak products and utilizes our standard units.

For new projects we can offer both stainless steel and painted versions of the specially adapted ComPact palletizer.

In combination with our conveyors we offer a complete system and therefore the considerable advantages of delivery and support from a single partner.




2x2 42-54 tray/min. WASF or shrink.

2x3 28-36 tray/min. WASF or shrink.

21–27 tray/min. WASF or shrink.

3x4 14–18 tray/min. WASF or shrink.





ComPact HC benefits

The central concept of ComPact is easy handling and a design that enables the machine to support the "product" from beneath.

It is also easy to reset between product changes and no special devices are needed.


Our main goal and continuous commitment is to support customers by ensuring high productivity with minimal downtime.

- Space-efficient
- Modular and flexible
- Competitive price
- Smooth handling of secondary units
- Products are supported from beneath during handling – there are no lifts
- Operator-friendly
- Reliable, low-cost operation
- Service-friendly
- Over 450 ComPact systems in use worldwide



Inter System, as in international

We have long-term customer relations all over the world



The basis for our internationalization was, and remains, the highly efficient palletizer, ComPact. By combining several palletizers with empty pallet and full pallet handling, we can create complete systems. This modular approach provides an optimal machine configuration in relation to the factory layout. We can often provide a solution for customers' palletizing projects in their existing premises.

By linking together one or two flows per palletizer, we ensure high availability for the plant and enable a joint solution for marking and stretchfilming. It is also possible to integrate handling of half and quarter pallets. These configurations are common in applications such as filling lines in the food industry.

The further development of our products and system solutions is a process that never stops.



InterSystem AB
Brandsvigsgatan 3
SE-262 73 Ängelholm
Sweden
Tel +46 (0)431 44 91 00
Fax +46 (0)431 44 91 29
info@intersystem.se
www.intersystem.se